

## TRADE NAME

Write Away, 2.0 mil Dry Erase Film

## MANUFACTURER

Identity Ink Ltd.  
2, 3716 56th Avenue SE  
Calgary, AB T2C 2B5  
Phone: (403) 724-9235

## IDENTIFICATION

<b>Product Name:</b>	Polyester/Dry Erase film	
<b>Components:</b>	Polyester with Dry Erase Coating	
<b>CAS Registry Number:</b>	N/A	
<b>DOT Hazard Class:</b>	Not regulated	
<b>Shipping Name:</b>	Not regulated	
<b>Prepared By:</b>	Don Woodrich	Date: June 22, 2009

## HAZARDOUS COMPONENTS

No components are hazardous as defined by 29 CFR 1910.1200

## PHYSICAL/CHEMICAL CHARACTERISTICS

<b>Melting Point:</b>	4280F
<b>Specific Gravity Range:</b>	>1.15
<b>Solubility in Water:</b>	Negligible
<b>Appearance:</b>	Thin, transparent plastic film
<b>Odor:</b>	Negligible odor

## FIRE AND EXPLOSION HAZARD DATA

<b>Autoignition Temperature:</b>	Not Determined
<b>Extinguishing Media:</b>	Water spray, foam, carbon dioxide or dry chemical
<b>Special Fire Fighting Procedures:</b>	Respiratory and eye protection should be provided for trained firefighting personnel to avoid contact with combustion products.
<b>Hazardous Combustion Products:</b>	The products of incomplete combustion include carbon monoxide, carbon dioxide, acetaldehyde and acrolein.
<b>Unusual Fire and Explosion Hazards:</b>	The solid film can be combusted only with difficulty. There are no unusual hazards. A static discharge device is necessary to eliminate the electrostatic buildup on the roll as it is being unwound and rewound, especially in potentially explosive atmospheres.

## REACTIVITY HAZARD DATA

<b>Stability at Room Temperature:</b>	Stable
<b>Chemical Stability:</b>	Stable
<b>Incompatibility:</b>	Avoid contact with strong oxidizers, acids, and bases. May react violently with fluorine.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition products include but are not limited to carbon, carbon monoxide, carbon dioxide, formaldehyde, acetaldehyde and acrolein.

## REACTIVITY HAZARD DATA

<b>Stability at Room Temperature:</b>	Stable
<b>Chemical Stability:</b>	Stable
<b>Incompatibility:</b>	Avoid contact with strong oxidizers, acids, and bases. May react violently with fluorine.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition products include but are not limited to carbon, carbon monoxide, carbon dioxide, formaldehyde, acetaldehyde and acrolein.

## HEALTH HAZARD DATA

### EFFECTS OF EXPOSURE

<b>Eye Contact:</b>	Mechanical irritation only
<b>Ingestion:</b>	Non-Toxic
<b>Skin Contact:</b>	No skin problems are anticipated from normal handling of the film.
<b>Inhalation:</b>	Upon over-heating may produce fumes, which may be, irritating to the eyes, nose, and throat. The exposure may result in reddening, tearing, and itching of the eyes and soreness in the nose and throat. Remove personnel to fresh air and lower heats to recommended temperatures.

### EMERGENCY FIRST AID

- If exposed to fumes from overheating, move to fresh air. Consult a physician if symptoms persist.
- Flush eyes with water. Consult a physician if symptoms persist.
- If excessively hot film contacts skin, cool rapidly with cold water. Do not attempt to peel film from skin. Obtain medical attention for thermal burn.

## CONTROL AND PROTECTIVE MEASURES

<b>Eye:</b>	Safety glasses should be considered as part of good industrial safety practice.
<b>Skin:</b>	Gloves may be used when handling extremely hot film.
<b>Ventilation:</b>	Normal ventilation except at high temperatures where local ventilation may be required.
<b>Respirator:</b>	Not required

## PRECAUTIONS FOR SAFE HANDLING AND USE

No special hazards anticipated under normal conditions encountered in storage, processing, and disposal.

<b>Spill, Leak or Release:</b>	Pick up film to avoid a slipping hazard.
<b>Storage Conditions:</b>	Store in a cool dry place.
<b>Waste Disposal Methods:</b>	Recycle, incineration or landfill

## DISCLAIMER OF LIABILITY

The information presented herein is, to the best of our knowledge, believed to be accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. Final determination of suitability of this film is the sole responsibility of the user. No representation or warranties, either expressed or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the film product to which the information refers. The user should review any recommendation in the specific context of the intended use to determine whether they are appropriate.